

Barracuda CloudGen Firewall

Protect cloud-connected users, network workloads, and devices wherever they reside.

As you integrate public-cloud platforms and environments into your network, your firewalls must go beyond perimeter security and serve as the linchpins of your IT communications flow, ensuring reliable, cost-effective connections. Barracuda CloudGen Firewall was designed to optimize the performance, security, and availability of today's dispersed enterprise SD-WANs.

Barracuda CloudGen Firewall combines a complete security stack, powerful SD-WAN capabilities, and simple centralized management for hundreds or thousands of firewalls. Zero-touch hardware deployment and native cloud integration get you up and running quickly and easily in any environment.

Full next-generation security

Barracuda CloudGen Firewall is built to provide comprehensive, next-generation firewall protection. Firewalling, IPS, URL filtering, dual antivirus, and application control take place in the data path. Sandboxing and other resourceintensive tasks are offloaded seamlessly to the cloud. All platforms and models include the same comprehensive security feature-set.

Secure SD-WAN connectivity

In the cloud era, you need to connect branch offices with the cloud directly and securely. Connecting through a single, central gateway is costly and renders cloud based applications unresponsive. Optimized direct internet uplink selection ensures fast cloud-hosted SaaS applications. CloudGen Firewall lets you replace costly MPLS connections with up to 24 bonded broadband uplinks per SD-WAN connection for increased application performance and built-in redundancy.

Cloud automation

The big advantage of going to the cloud is greater agility and flexibility. This requires high degrees of automation. All components, including the infrastructure for security and connectivity, need to adapt to the way this works. CloudGen Firewall provides fully automated protection across multi-cloud deployments, including SD-WAN automation across multiple cloud providers, on-site and virtual.





Technical specs

Firewall

- Stateful packet inspection and forwarding
- Full user-identity awareness
 IDS/IPS
- IDS/IPS
- Application control and granular application enforcement
- Interception and decryption of SSL/TLS encrypted applications
- Antivirus and web filtering in single pass mode
- Email security
- SafeSearch enforcement
- Google Accounts EnforcementDenial of Service protection
- (DoS/DDoS)
- Spoofing and flooding protection
- ARP spoofing and trashing protection
- DNS reputation filtering
- NAT (SNAT, DNAT), PAT
- Dynamic rules / timer triggers Single object-oriented rule set for
- routing, bridging, and routed bridgingVirtual rule test environment
- Network security orchestration with tufin SecureTrack

Protocol support

- IPv4, IPv6
- BGP/OSPF/RIP
- · VoIP (H.323, SIP, SCCP [skinny])
- RPC protocols (ONC-RPC, DCE-RPC)
- 802.1q VLAN
- Industrial protocols and subprotocols (S7, S7+, IEC 60870-5-104, IEC 61850, MODBUS, DNP3)

Intrusion detection and prevention

- Protection against exploits, threats and vulnerabilities
- Packet anomaly and fragmentation protection
- Advanced anti-evasion and obfuscation techniques
- Automatic signature updates

Infrastructure services

- DHCP server, relay
- SIP and HTTP proxies
- SNMP and IPFIX support
- · JSON lifecycle automation API
- Auto VPN via API and script control
- Authoritative DNS server
- DNS server
- DNS cache
- Wi-Fi (802.11n) on selected models

Barracuda CloudGen Firewall's SD-WAN dashboard provides real-time information and summaries of what is going on in an

Barracuda Networks • DATASHEET • Barracuda CloudGen Firewall

- Built-in support for
- Azure Virtual WAN

organization's network.

Remote and Zero Trust Access

- Network access control
- iOS and Android mobile device support
- Two-factor authentication via timebased one-time passwords (TOTP), Radius, or RSA MFA (requires an active Advanced Remote Access subscription) for remote access clients
- Multi-factor authentication for browser-based remote access and CudaLaunch
- Barracuda CloudGen Access support - CloudGen Access
 Proxy service included with every CloudGen Firewall for quick Zero-Trust-Access rollout

Advanced threat protection

- Dynamic, on-demand analysis of malware programs (sandboxing)
- Dynamic analysis of documents with embedded exploits (PDF, Office, etc.)
- Detailed forensic analysis
- Botnet and spyware protection
- TypoSquatting and link protection for email

Central management options via Barracuda Firewall Control Center

- Administration for unlimited firewalls
- Support for multi-tenancy
- Multi-administrator support & RCS
- Zero-touch deployment
- Enterprise/MSP licensing
- Template & repository-based
- management
- REST API

High Availability

- Active-passive
- Transparent failover without session loss
- Encrypted HA communication

Self-Healing SD-WAN

- Drag & drop configuration
- Optimized direct internet
 uplink selection
- Internet uplink optimization
 (forward error correction)
- Simultaneous use of multiple uplinks (transports) per SD-WAN connection
- FIPS 140-2 certified cryptography
- On-demand direct connection creation between remote spoke locations based on application type
- Dynamic bandwidth detectionPerformance-based
- transport selection
- Application-aware traffic routing
- Adaptive session balancing across
 multiple uplinks
- Application-based provider selection
- Traffic shaping and QoS
- Built-in data deduplication

Support options

Barracuda Energize Updates

- Standard technical support
- Firmware updates
- IPS signature updates
- Application control definition updates
- Web filter updates
- Barracuda CloudGen Access support

Instant Replacement Service Replacement unit shipped next

- business day24/7 technical support
- Free hardware refresh every four years

10.17.68.168 (v 8.0.1

Barracuda Firewall Insights

Consolidates security, application flow, and connectivity information from hundreds or even thousands of firewalls on the extended wide area network – regardless of whether they are hardware, virtual, or cross-cloudbased deployments.

Available subscriptions

Malware Protection

Provides gateway-based protection against malware, viruses, spyware, and other unwanted programs inside SMTP/S, HTTP/S, and FTP/S traffic.

Advanced Threat Protection

Prevents from network breaches, identifies zero-day malware exploits, targeted attacks, advanced persistent threats and other advanced malware.

Provides a customizable and easy-to-

use browser-based remote access as

well as sophisticated network access

control (NAC) functionality and

Scanner A Firmur

NETWORK SECURITY

CudaLaunch support.

Pool License

Advanced Remote Access

Basic features

	ENTRY AND BRANCH OFFICE / RUGGED	MID-RANGE	HIGH-END
Firewall incl. IPS	\checkmark	\checkmark	\checkmark
Application control	\checkmark	\checkmark	\checkmark
Dynamic routing	\checkmark	\checkmark	\checkmark
Application-based provider selection	\checkmark	\checkmark	\checkmark
SSL interception	\checkmark	\checkmark	\checkmark
Secure SD-WAN	\checkmark	\checkmark	\checkmark
Cloud connectivity automation with Azure Virtual WAN	\checkmark	\checkmark	\checkmark
Web filter	\checkmark	\checkmark	\checkmark
Zero-touch deployment	\checkmark	\checkmark	\checkmark
Remote access	\checkmark	\checkmark	\checkmark

Optional features

	ENTRY AND BRANCH OFFICE / RUGGED	MID-RANGE	HIGH-END
Firewall Insights	Optional	Optional	Optional
Advanced threat protection	Optional	Optional	Optional
Malware protection	Optional ¹	Optional	Optional
Advanced remote access	Optional ²	Optional	Optional

Entry & branch office / rugged models

	ENTRY AND B	RANCH OFFICE	RUGGED				
	F12A	F18B	F80B	F180B	F280C	F93A.R	F193A.R
THROUGHPUT / PERFORMANCE							
Firewall ³	1.2 Gbps	2.0 Gbps	2.0 Gbps	3.2 Gbps	4.8 Gbps	1.5 Gbps	2.1 Gbps
SD-WAN ⁴	220 Mbps	720 Mbps	720 Mbps	800 Mbps	1.5 Gbps	240 Mbps	320 Mbps
IPS ⁵	400 Mbps	600 Mbps	600 Mbps	1.0 Gbps	2.0 Gbps	400 Mbps	790 Mbps
NGFW ⁶	250 Mbps	400 Mbps	400 Mbps	1.2 Gbps	1.6 Gbps	400 Mbps	800 Mbps
Threat protection ⁷	230 Mbps	380 Mbps	380 Mbps	1.0 Gbps	1.5 Gbps	380 Mbps	700 Mbps
Concurrent sessions	80,000	80,000	80,000	150,000	300,000	80,000	100,000
New sessions/s	8,000	12,000	12,000	12,000	12,000	8,000	9,000
HARDWARE							
Form factor	Compact	Desktop	Desktop	Desktop	Desktop	Compact, DIN rail	Compact, DIN rail
Copper ethernet NICs [1 GbE]	5x	5x	5x	12x	12x	2x	5x
Fiber ethernet NICs (SFP) [1 GbE]	-	-	-	4x	4x	1x	2x
Wi-Fi access point	-	-	\checkmark	\checkmark	\checkmark	-	-
Power supply	Single, external	Single, external	Single, external	Single, external	Single, external	Phoenix 4-pin or dual, external	Phoenix 4-pin or dual, external

Mid-range models

	5000D	F400C SUBMODELS		F600D SUBMODELS				
	F380B	STD	F20	C10	C20	F10	F20	E20
THROUGHPUT / PERFORMANCE								
Firewall ³	8.5 Gbps	13 Gbps	13 Gbps	15 Gbps		15 Gbps		20 Gbps
SD-WAN ⁴	2.1 Gbps	3.6 Gbps	3.6 Gbps	3.8 Gbps		3.8 Gbps		6.8 Gbps
IPS ⁵	2.5 Gbps	4.2 Gbps	4.2 Gbps	4.8 Gbps		4.8 Gbps		8.0 Gbps
NGFW ⁶	2.0 Gbps	3.7 Gbps	3.7 Gbps	4.2 Gbps		4.2 Gbps		6.4 Gbps
Threat protection ⁷	1.7 Gbps	3.1 Gbps	3.1 Gbps	4.0 Gbps		4.0 Gbps		5.8 Gbps
Concurrent sessions	400,000	500,000	500,000	2,100,000		2,100,000		2,100,000
New sessions/s	15,000	20,000	20,000	115,000		115,000		115,000
HARDWARE								
Form factor	1U rack mount	1U rack mount		1U rack mount				
Copper ethernet NICs [1 GbE]	8x	8x	8x	18x	18x	10x	10x	10x
Fiber ethernet NICs (SFP) [1 GbE]	-	-	4x	-	-	8x	8x	8x
Fiber ethernet NICs (SFP+) [10 GbE]	2x	2x	2x	-	-	-	-	2x
Power supply	Single, internal	Single, internal	Dual, hot swap	Single, internal	Dual, hot swap	Single, internal	Dual, hot swap	Dual, hot swap

High-end models

	F800C SUBMODELS			F900B SUBMODELS			F1000B SUBMODELS				
	ссс	CCF	CCE	ccc	CCE	CFE	CFEQ	CE0	CE2	CFE	CFEQ
THROUGHPUT / PERFORMANCE											
Firewall ³	30 Gbps			35 Gbps 45 Gbps			52 Gbps				
SD-WAN ⁴	7.5 Gbps			9.3 Gbps 13.5 Gbps			15.8 Gbps				
IPS ⁵	8.3 Gbps	8.3 Gbps			11.3 Gbps 13 Gbps			16 Gbps			
NGFW ⁶	7.7 Gbps	7.7 Gbps			8.0 Gbps 12 Gbps			14.8 Gbps			
Threat protection ⁷	7.6 Gbps	7.6 Gbps			8.0 Gbps 11.5 Gbps			13.5 Gbps			
Concurrent sessions	2,500,00	2,500,000			4,000,000 4,000,000			10,000,000			
New sessions/s	180,000	180,000			190,000 190,000		250,000				
HARDWARE											
Form factor	1U rack m	ount		1U rack mount			2U rack mount				
Copper ethernet NICs [1 GbE]	24x	16x	16x	32x	16x	8x	8x	16x	32x	16x	16×
Fiber ethernet NICs (SFP) [1 GbE]	-	8x	-	-	-	8x	8x	-	-	16×	16×
Fiber ethernet NICs (SFP+) [10 GbE]	-	-	4x	-	8x	8x	4x	4x	8x	8x	6x
Fiber ethernet NICs (QSFP+) [40 GbE]	-	-	-	-	-	-	2x	-	-	-	2x
Power supply	Dual hot s	Dual hot swap			Dual hot swap			Dual hot swap			

All performance values are measured under optimized conditions and are to be considered as "up to" values and may vary depending on system configuration and infrastructure:

¹ For model F12A, malware protection utilizes cloud-based malware protection as part of an active Advanced Threat Protection subscription.

² For model F12A, this feature is not available.

³ Firewall throughput is measured with large UDP packets (MTU1500), bi-directional across multiple ports, utilizing highest available port density.

⁴ SD-WAN performance is based on 1415 Byte UDP packets, bidirectional using BreakingPoint traffic generator.

⁵ IPS throughput is measured using large UDP packets (MTU1500) and across multiple ports, utilizing highest available port density.

⁶ NGFW throughput is measured with IPS, application control, and web filter enabled, based on BreakingPoint Realworld-IPS-

Enterprise-Traffic-Mix, bidirectional across multiple ports, utilizing highest available port density.

⁷ Threat protection throughput is measured with IPS, application control, web filter, antivirus, and SSL inspection enabled,

based on BreakingPoint Realworld-IPS-Enterprise-Traffic-Mix, bidirectional across multiple ports.

Specifications subject to change without notice.

