

# Product information

## IPC-E420

### Front-Access Server

## Features

<b>Drive bays</b>	1x5.25" ODD 1x 5.25/3.5" combination-ODD/HDD/FDD 6x 3.5" HDD
<b>Mainboard</b>	mini-ITX, $\mu$ ATX, ATX
<b>Power supply</b>	PS/2-design with 8-14cm fans up to 185mm installation depth Mini-redundant power supply up to 185mm installation depth
<b>Expansion</b>	up to 7 standard height expansion cards up to 255mm depth
<b>Ventilation</b>	incl. 1x 12cm and 2x 8cm on a side wall laying fans
<b>Special features</b>	front-Access Equipped with two front USB-2.0-ports optional USB3.0 available
<b>Handles</b>	stable handles out of plastic
<b>Colour</b>	black, scratch-resistant
<b>Dimensions</b>	483 x 133 x 420mm (WxHxD)
<b>Accessories</b>	41 pcs No.6-32 UNC round head screws 8 pcs No.6-32 UNC countersunk screws black 8 pcs M3 countersunk screws black 8 pcs M3 truss head screws 7 pcs MB spacer bolts
<b>Material</b>	SGCC sheet material thickness 1,2-2,0mm

## Additional information

Expansion cards, including any existing power or other connections, must not protrude above the slot bracket.

## Optional components

[Removable racks](#)

[Backplanes](#)

[Teleskope slides and mounting brackets](#)

## Shipping details

**Carton dimensions** 56 x 54 x 26cm (L x W x H)

**Shipping weight** 9,3kg

**Palet shipment** 20 pcs



