Mobile Rack M28SAB

Front View

Rear View

Note: Image above may show a varied configuration of optional parts.
Please refer to parts list for standard parts included.

Key Features

1. 8x 2.5" Hot-swap SAS/SATA HDDs
2. Overheat LED and Alarm
3. Drive Activity / Failure LED
4. 2x 5.25" Drive Bay Enclosure
5. 2x iPASS Connectors
6. 4cm Cooling Fan 12.5K RPM 16 CFM

Available Colors

Black

Downloads

Manual

Specifications

Dimensions	▪ 5.75" x 3.35" x 7.38" (146x85x187 mm)
	▪ 10.0" x 8.0" x 13.5" (package)
Gross Weight	▪ 4.8 lbs (2.18 kg) - with package
	3.2 lbs (1.44 kg) - Mobile rack only
Available Colors	▪ Black (CSE-M28SAB-OEM)
Occupancy	▪ 2x 5.25" Drive Bays
Capacity	▪ 8x 2.5" Hot-swap SAS/SATA HDD trays
Cooling Subsystem	▪ 40mm x 28mm Cooling Fan, 12.5K RPM, 16CFM (FAN-0061L4)
Configuration	▪ Direct attached
System Monitoring	▪ Overheat LED and Alarm
	▪ Drive Activity LED and Failure LED

Rear View (with Backplane)

Compatibility

Chassis	☐ SC758 Series
	☐ SC842, SC942 Series
	☐ SC832, SC833, SC835 Series
	☐ SC743, SC745, SC747, SC748 Series

Parts List

	Part Number	Qty	Description
Mobile Rack	CSE-M28SAB	1	8x 2.5" SAS/SATA HDD mobile rack with iPASS backplane
Drive Trays	MCP-220-00090-0B	8	Black gen 3.5 hot swap 2.5" HDD tray
Backplane	BPN-SAS-I28A	1	HDD backplane board for 8x 2.5" SAS/SATA HDD
Cage	CSE-M28STSBP	1	M28S mobile rack without backplane
Cooling Fan	FAN-0061L4	1	40X28mm 4-PIN PWM Fan
Manual	-	1	M28SAB Manual

	Part Number	Qty	Description
Cables	CBL-0108L-02	-	IPASS TO IPASS 39CM PBF
	CBL-0281L	-	IPASS TO IPASS 75CM PBF
	CBL-0116L	-	IPASS TO 4 SATA 50CM Cross Over
	CBL-0294L-01	-	IPASS TO 4 SATA 70CM Cross Over SB